



# Biological Traits Of Fungal Pathogens Affecting Bulb Flowers And Methods Of Control.

Surayyo Misirova

Namangan Institute of Engineering and Technology, 160115  
Namangan, Uzbekistan  
samisirova@mail.ru,

## ABSTRACT

The experiments were carried out in floriculture farms located in Namangan region during 2017-2019 years, and laboratory work was carried out at floriculture centers in Namangan region of the Republic of Uzbekistan. 19 species and 5 forms of fungal pathogens were detected in 7 species of bulb flowers grown in the Namangan regions of the Republic of Uzbekistan.

## Keywords:

### 1. Introduction

Currently, around the world, efforts are made to combat more than 1,500 species of pests and microorganisms that cause diseases in decorative flowers. 92% of the microorganisms that cause disease is various fungi. Therefore, the definition of diseases of decorative flowers that cause various fungi, their bioecological properties, distribution rules and improvement of measures to combat them makes it possible to improve the efficiency of floriculture [1-3]. Scientists conducted studies on cultivating flower varieties that are new to the climatic conditions of Uzbekistan, developed measures to combat the types of fungal pathogens and achieve resistance to other factors, and developed agricultural techniques for growing healthy decorative flowers. In this regard, great attention was paid to increasing research on the improvement and introduction into production of methods for creating flower varieties resistant to diseases and pests suitable for soil climatic conditions and methods for the

prevention of diseases caused by pathogenic fungi [4-6].

### 2. Research methods.

The studies conducted according to current methods in accordance with standards in this field of science. The method of M.K. Khokhryakov used for collecting herbarium samples of bulbous flowers infected with various fungi pathogens in the field. When isolating and determining the types of fungi from seeds of bulbous flowering plants in laboratory conditions, the methods of N.A. Naumov, A.Ya. Semenov, A.P. Abramov, M.K. Khokhryakov. The determination of fungal species in the cells of infected plants was carried out by definition (identifiers) developed by V.I. Bilay, P.N. Golovin, T.A. Dobrozrakova, M.K. Khokhryakov, N.I. Gaponenko [1-5].

The object of the research is bulb flowers, widely distributed in certain regions and highly appreciated by consumers, such as cloves, hyacinth, gladiolus, iris, lily, tulip, daffodil and phlox.

According to the laws of nature, plants, microorganisms, as well as fungi, change their bioecological characteristics. Therefore, the study of fungal species is an ongoing process.

On a global scale, in Italy, the pathogen *Phytophthora cotianae* var. *parasitica*. Scientists A. Francaschini, Serris S., A. Foddai found that soil fungi of the *Gerber jamesonii* hybrid species, including species belonging to the *Fusarium* family, cause the greatest harm.

In the conditions of our republic, scientists have been studying diseases of agricultural crops for many years. Including P.K. Ozolin P.N. Golovin, N.G. Zaprametov, M.A. Karimov, S.S. Ramazanova, B.O. Khasanov and their many students, having studied the biological, environmental, physico-biochemical characteristics of the types of fungi that cause the greatest harm to crops, the laws of their distribution and systematics, based on this, developed measures to combat them and put them into practice. The studies were carried out in the following sequence: Herbarium samples of infected bulbous flower plants and their parts were collected by the method of M.K. Khokhryakov; the selection of fungi from the seeds of bulbous flower plants and the determination of their species by the methods of N.N. Naumova, A.Ya. Semenova, A.P. Abramova, M.K. Khokhryakova; species of fungi in the cells of infected plants were determined using determinants V.I. Bilaya, P. N. Golovina and T. A. Dobrozrakova.

$$P = \frac{\sum \Pi_k}{N} \cdot 100$$

Where, P - the spread of the disease, %; N is the number of plants in the experiment, pcs.;  $\sum \Pi_k$  - total number of infected bulbous plants in the experiment, pcs. In the fight against infected bulbous flower plants, the methods of S. N. Maskovets, I. S. Fedorinchik and H. T. Tillaev were used [8-10]. The experiments were carried out in floriculture farms located in Namangan region during 2017-2019, and laboratory work was carried out at floriculture centers in Namangan region.

**3. Fungal diseases of bulbous flower plants and their systematic location.** Table 1 shows the systematic arrangement of species of fungi isolated from bulb flower plants. This table shows 19 species and 5 forms of fungal pathogens isolated from bulbous flower plants grown under conditions in Namangan regions for 3 years and revealed that they belong to 4 classes, 7 subspecies, 7 families and 12 orders. The largest group consists of fungal species that are part of the class *Deuteromycotina* consisting of 19 species and 5 forms. Then follows the class *Basidiomycotina* - 4 species; *Ascomycotina* - 3 species. The smallest group is *Mastigomycotina*, consisting of 1 species. The most common types of fungi of the *Fusarium* family were found in the study, having 4 species and 4 forms. Of these, *F. oxysporum* f. sp. *gladioli* (Mass.) Snyd. et Hans, *F. oxysporum* f. sp. *lilii* Jmle, *F. oxysporum* f. sp. *narcissi*, Snyd. Et Hans, *F. oxysporum* f. sp. *tulipae* Apr. cause fusarium wilt.

**Table 1.**

**The systematic arrangement of species of fungi isolated from bulb flowers (2019-2022)**

Class	Order	Family	Category	Types of fungi, their forms and variations
1	2	3	4	5
<i>Mastigomycotina</i>	<i>Peronosporales</i>	<i>Peronosporaceae</i>	<i>Peronospora</i>	<i>P. lilii</i> . Stenina
<i>Ascomycotina</i>	<i>Erysiphales</i>	<i>Erysiphaceae</i>	<i>Erysiphe</i>	<i>E. cichoriacearum</i> f. <i>phlogis</i> Jacz.
			<i>Sclerotinia</i>	<i>S. gladioli</i> (Mass.) Dray.
				<i>S. tuliporum</i> Kleb
<i>Basidiomycotina</i>	<i>Ustilaginales</i>	<i>Ustilaginaceae</i>	<i>Urocystis</i>	<i>U. gladioli</i> W.G. Smith.
	<i>Uredinales</i>	<i>Pucciniaceae</i>	<i>Uromyces</i>	<i>U. lilii</i> (Link.) Fuck.
			<i>Puccinia</i>	<i>P. gladioli</i> Cast.
				<i>P. iridis</i> (DC.) Wallroth

<i>Deuteromycotina</i>	<i>Moniliales</i>	<i>Moniliaceae</i>	<i>Oidiopsis</i>	<i>O. phlogis</i> Golov.
			<i>Penicillium</i>	<i>P. gladioli</i> Mc. Cull. et. Thom.
			<i>Botrytis</i>	<i>B. gladiolorum</i> Timmer.
				<i>B. narcissicola</i> Kleb.
	<i>Acervulales</i>	<i>Tuberculariaceae</i>	<i>Fusarium</i>	<i>F.oxysporum</i> f. sp. <i>gladioli</i> (Mass.) Snyder et Hans.
				<i>F.oxysporum</i> f. sp. <i>lilii</i> Jmle.
				<i>F.oxysporum</i> f. sp. <i>narcissi</i> Snyder. Et Hans.
				<i>F.oxysporum</i> f. sp. <i>tulipae</i> Apr.
	<i>Pycnidiales</i>	<i>Sphaerioideae</i>	<i>Pyllosticta</i>	<i>P. paeoniae</i> Sacc. Et Speg.
			<i>Septoria</i>	<i>S. paeoniae</i> West.
<b>Total: 4</b>	<b>7</b>	<b>7(11)</b>	<b>12(28)</b>	<b>19 types, 5 forms</b>

And also, in the experiments, the types of fungus pathogens of bulbous flower plants, the degree of infection of bulbous flowers, which plant organs are infected, the interaction of pathogens and plant hosts, the spread of diseases and the harm they cause to the flower industry were determined in experiments (table-2). In particular, 5 species of bulbous flower plants were infected with botrythiosis and rust diseases; *Fusarium* wilt-4; *Fusarium* rot-4; *powdery mildew*-1; *sclerotinia*-2; *penicilliosis*-3, *powdery mildew*, *black aphids* and *false verticillioses* were infected with only one bulb flower plant. In general, it was revealed that selected for research purposes, 7 species of bulb flowers were infected with 27 species of fungal pathogens. In the process of conducting research, for the first time in the conditions of the Republic of Uzbekistan in the Namangan region, 27 identified diseases were analyzed and the characteristics of the morphological properties of fungal species were determined.

#### 4. Conclusion

Based on the studies, the following conclusions can be drawn: 19 species and 5 forms of fungal pathogens were detected in 7 species of bulb flowers grown in the Namangan regions of the

Republic of Uzbekistan. Infection of selected bulbous flowers with 27 species of pathogenic fungi was revealed. It was revealed that the selected 7 species of bulb flower plants were infected with the most dangerous diseases, such as *botrythiosis* and rust diseases; 5 species of bulb flower plants were infected; *Fusarium* wilt-4; *Fusarium* rot-4; *powdery mildew*-1; *sclerotinia*-2; *penicilliosis*-3, *powdery mildew*, black aphids and false verticillioses were infected with only one bulb flower plant. In the conditions of the Namangan region of the Republic of Uzbekistan, the fungus *Trichoderma viride* was used as a biological method on 7 types of bulbous flowering plants, and fungicides such as Maxim, Bayleton, Fundazol were used as a chemical method in the fight against identified diseases.

#### References

- Misirova, S. A. "Systematic types of fungi of allocated and determined types from decorative flowers in conditions region Tashkent." *Agricultural sciences* 6.11 (2015): 1387.
- Misirova, Surayyo, and Ibrohim Qurbanov. "Biological Characteristics of Fungal Pathogens of Bulb Flowers and

- Control Measures." *Texas Journal of Agriculture and Biological Sciences* 22 (2023): 49-56.
3. Abdumutalovna, Misirova Surayyo, and Sarimsaqova Nilufar Sobirjonovna. "Bioecology of Fungi-Pathogens of Flower Crops and the System to Combat Them." *Agricultural sciences* 7.8 (2016): 539-547.
  4. Misirova, S., et al. "Growing Dutch tulips in Namangan region." *Bulletin of Agrarian Science of Uzbekistan* 1 (2021).
  5. Misirova, Surayyo, and Ibrohim Qurbanov. "Biological Characteristics of Fungal Pathogens of Bulb Flowers and Control Measures." *Texas Journal of Agriculture and Biological Sciences* 22 (2023): 49-56.
  6. Misirova, Surayyo. "Technology of growing orchid flowers from seeds." *E3S Web of Conferences*. Vol. 390. EDP Sciences, 2023.
  7. MISIROVA, SA, and NN ERNAZAROVA. "FIGHTING MEASURES THE DISEASE CAUSES A VERY DANGEROUS FUNGAL SPECIES WIDESPREAD IN TASHKENT REGION." *International Journal of Botany and Research (IJBR)* 6 (2016): 5-12.
  8. MISIROVA, SA. "TECHNOLOGY OF CULTIVATION AND REPRODUCTION OF ORNAMENTAL AND UNIQUE ORCHID FLOWER IN NAMANGAN CONDITIONS." *World Bulletin of Social Sciences* 17 (2022): 156-164.
  9. Misirova, S. A. "BIOLOGICAL CHARACTERISTICS OF FUNGAL SPECIES THAT CAUSE DISEASES OF ONION FLOWERS AND MEASURES TO COMBAT THEM." (2022).
  10. Misirova, S., and M. Haydarova. "Flowers from Nederland are Considered to Develop in the Climatic Conditions of Uzbekistan and Are Identified the types of Fungus." *Annals of the Romanian Society for Cell Biology* 25.4 (2021): 5922-5929.
  11. Misirova, S. A., et al. "Determination types of fungi-pathogens of ornamental flower crops in conditions region Namangan." *ISJ Theoretical & Applied Science* 10.66 (2018): 185-189.
  12. Abdumutalovna, Misirova Surayyo, and Muhabbat Davlatova Urmanovna. "Technology of in vitro propagation of mangosteen in the climatic conditions of Uzbekistan." *NVEO-NATURAL VOLATILES & ESSENTIAL OILS Journal/ NVEO* (2021): 5610-5617.
  13. Мисирова, Сурайё Абдумуталовна. "БИОЛОГИЧЕСКАЯ ЭФФЕКТИВНОСТЬ ФУНГИЦИДОВ В БОРЬБЕ С МУЧНИСТОЙ РОСОЙ И РЖАВЧИНОЙ РОЗ." *Научный поиск в современном мире*. 2016.
  14. Misirova, Surayyo. "Reproduction technology of a unique orchid flower in the conditions of Namangan." *Texas Journal of Agriculture and Biological Sciences* 22 (2023): 37-48.
  15. Мисирова, Сурайё Абдумуталовна, Иброхим Шарифбаевич Курбонов, and Назокат Кобилжоновна Сайфуллаева. "ОПРЕДЕЛЕНИЕ ГРИБКОВЫЕ БОЛЕЗНИ ЦВЕТОЧНЫХ КУЛЬТУР В УСЛОВИЯХ ОБЛАСТИ НАМАНГАНА." *Theoretical & Applied Science* 10 (2018): 185-189.
  16. Мисирова, Сурайё Абдумуталовна. "Биоэкология грибов-возбудителей болезней цветочных культур и создание ситемы борьбы с ними." *Материалы 54-й Международной научной студенческой конференции МНСК-2016: Сельское хозяйство*. 2016.
  17. Насритдинов, А., А. Нормирзаев, and А. Нуриддинов. "Разработка агрегатов для основной и предпосевной обработки почвы к севы промежуточных." *ФУНДАМЕНТАЛ ФАНЛАР* (2015): 44.
  18. Насритдинов, Ахмаджон Абдухамидович, and Хусниддин Тургунбоевич Киргизов. "Агрегат для полосной обработки почвы." *Современные научные исследования и инновации* 12 (2015): 412-416.

19. Байбобоев, Н. Г., Насриддинов, А. А., Нормирзаев, А. Р., & Нуриддинов, А. Д. (2014). Энергоресурсосберегающий комбинированный агрегат для обработки почвы. *Вестник Рязанского государственного агротехнологического университета им. П.А. Костычева*, 3(23), 42-44.
20. Насритдинов, Ахмаджон Абдухамидович. "Результаты исследования формы лобовой поверхности стойки чизеля-культиватора." *Universum: технические науки* 1 (58) (2019): 18-20.
21. Бойбобоев, Набижон Гуломович, and Ахмаджон Насритдинов. "Теоретические определение перемещение частиц почвы по поверхности углоснима." *Science Time* 6 (18) (2015): 84-89.
22. Бойбобоев, Набижон Гуломович, and Ахмаджон Насритдинов. "Теоретические определение перемещение частиц почвы по поверхности углоснима." *Science Time* 6 (18) (2015): 84-89.
23. Ходжаев, Ш. Т., Сагдуллаев, А. У., Исаев, О. Б., & Юсупова, М. Н. (2011). Проблемы защиты растений в Узбекистане. *Защита и карантин растений*, (8), 23-24.
24. Yusupova, M. N., and A. M. Gapparov. "Biological Method Of Plant Protection In Uzbekistan." *The American Journal of Agriculture and Biomedical Engineering* 2.11 (2020): 29-32.
25. Ходжаев, Ш. Т., Юсупова, М. Н., Курязов, Ш., & Саттаров, Н. (2008). Перспективы биологической защиты хлопчатника от хлопковой совки. *Сб. трудов.-Ташкент: Таллин*, 44-49.
26. Yusupova, M. N. "Biological method of crop protection in the fergana valley." *Agrarian science* 6 (2018): 68-70.
27. Юсупова, Махпуза Нумановна, Азиза Нуъмановна Тургунова, and Сайдулло Нуриддинович Очилов. "Система интегрированной защиты растений." *Российский электронный научный журнал.-2015* 1 (2015): 169-174.
28. MN, Yusupova, and B. Z. Nosirov. "Control Of Cotton Pests On Stubble Lands." *International Journal of Applied* 10.2 (2015): 99-108.
29. Yusupova, M. N., S. T. Hodzhaev, and K. S. Mamatov. "Possibilities of the biological method of cotton plant protection." *Agriculture and Biology Journal of North America* 2.5 (2011): 742-744.
30. Yusupova, Махпуза. "Protection of after harvest cultures-as a reservetors of cotton pests." *Agriculture and Biology Journal of North America* 4.5 (2013): 576-582.
31. Ходжаев, Ш. Т., Юсупова, М. Н., Юлдашев, Ф., Исаев, О. Б., & Шокирова, Г. (2011). Борьба с вредителями хлопчатника на пожнивных культурах в севообороте. *Вестник защиты растений*, (2), 46-52.
32. Ходжаев, Ш. Т., Юсупова, М. Н., Юлдашев, Ф., & Жамалов, А. Г. (2010). Хлопковая совка на пожнивных культурах. *Защита и карантин растений*, (12), 22-23.
33. Юсупова, М. "Особенности защиты хлопчатника посеянного под пленки от вредных организмов." *Автореф. канд. дисс./М. Юсупова-Ташкент* (2001).
34. Yusupova, Makhpuza, Shakhnoza Irisova, and Otabek Numonov. "Biology of Pomegranate Pests, Control Measures and First Aid in Case of Pesticide Poisoning." *BIO Web of Conferences*. Vol. 82. EDP Sciences, 2024.
35. Yusupova, M., Turgunova, A., & Ochilov, S. INTERGRATED PLANT PROTECTION SYSTEMS.
36. Yusupova, M. N., and B. Z. Nosirov. "Cotton Pest Control on Stubble Crops at Crop Rotation." *International Journal of Biotechnology and Allied Fields* 1.11 (2013): 472-482.

37. Khodzhaev, S. T., Sagdullaev, A. U., Isaev, O. B., & Yusupova, M. N. (2011). Plant protection problems in Uzbekistan.
38. Khodzhaev, S. T., Yusupova, M. N., Yuldashev, F., & Zhamalov, A. G. (2010). Cotton bollworm in the post harvest crops.
39. Khodzhaev, Sh T., and M. N. Yusupova. "Defoliation times and bollworm." (2001): 35.
40. Sabirov, R. Z., Kurbannazarova, R. S., Melanova, N. R., & Okada, Y. (2013). Volume-sensitive anion channels mediate osmosensitive glutathione release from rat thymocytes. *PLoS One*, 8(1), e55646.
41. Rashidovna, Melanova Nazira, and Numonov Otabek Urmonovich. "Comparative Characteristics of the Leaving of Glutathione From Cells of Different Types." *International Journal on Orange Technologies* 2.10: 79-82.
42. Sabirov, R. Z., Kurbannazarova, R. S., Melanova, N. R., & Okada, Y. (2010, January). Swelling-induced release of glutathione from rat thymocytes. In *JOURNAL OF PHYSIOLOGICAL SCIENCES* (Vol. 60, pp. S13-S13). 1-11-11 KUDAN-KITA, CHIYODA-KU, TOKYO, 102-0073, JAPAN: SPRINGER TOKYO.
43. Melanova, N. R., M. U. Davlatova, and O. Numanov. "The Effect of Extracellular Glutathione on the Regulation of Thymocyte Volume in Rats under Conditions of Hypoosmotic Stress." *Annals of the Romanian Society for Cell Biology* (2021): 7032-7038.
44. Меланова, Назира Рашидовна. "Сравнительная характеристика выхода глутатиона из различных типов клеток." *Universum: химия и биология* 5 (59) (2019): 9-12.
45. Melanova, N. R., & Yulchiyeva, S. A. (2021). EFFECT OF EXTRACELLUIAR GLUTATHIONE ON COLLOID-OSMOTIC LYSIS OF HUMAN RED BLOOD CELLS. *Scientific Bulletin of Namangan State University*, 2(2), 144-149.
46. Choriyeva, N. M., & Melanova, N. R. (2019). STUDY OF LYSIS OF HUMAN ERYTHROCYTES UPON ADMINISTRATION OF GOSSYPOL, MEGOSIN AND BATRIDEN. *Bulletin of Namangan State University: Vol, 1(9)*, 11.
47. Melanova, N. R., Yulchieva, S., Rahimova, G. L., & Mamadjanova, M. A. (2020). The role of intracellular camp in the production of glutathione from rat thymocyte cells under hypoosmotic stress. *International journal of Advanced Science and Technology*, 29(8 Special Issue), 821-825.
48. Melanova, N. R. (2023). REPRODUCTION OF THE MAGNOLIA (MAGNOLIACEAE) PLANT IN NAMANGAN CONDITIONS. *British Journal of Global Ecology and Sustainable Development*, 22, 81-87.
49. Melanova, Nazira R. "The importance of the soap tree plant (*Kelreiteria Paniculata*) in environmental protection and landscaping in the climatic conditions of the Namangan region." *E3S Web of Conferences*. Vol. 390. EDP Sciences, 2023.
50. Шамситдинов, Ф. "Результаты опыта." *Защита и карантин растений* 5 (2003): 27-27.
51. Абдуалимов, Ш. Х., and Ф. Р. Шамситдинов. "Влияние применения стимуляторов роста на всхожесть семян, рост, развитие и урожайность хлопчатника в условиях светлых сероземных каменистых почв Наманганской области Республики Узбекистан." *Актуальные проблемы современной науки* 5 (2019): 47-51.
52. Абдуалимов, Шухрат Хамадуллаевич, and Фазлиддин Расулович Шамситдинов. "НАМАНГАН ВИЛОЯТИНИНГ ҚИР АДирЛИ ТОШЛОҚ ЕРЛАРИДА ЯНГИ СТИМУЛЯТОРЛАРИНИНГ ҒЎЗА БАҒГ ЮЗАСИ ВА ҲОСИЛДОРЛИГИГА ТАЪСИРИ." *Журнал Биологии и Экологии* 1 (2019).
53. Kurbanov, I. G. "CARE OF TULIP VARIETIES OF THE NETHERLANDS IN THE CLIMATIC CONDITIONS OF THE NAMANGAN REGION." *American Journal*

- of *Interdisciplinary Research and Development* 6 (2022): 117-120.
54. Qurbonov, Ibragim Sharifjonovich. "CLONELY MICRO-CULTIVATION OF PLANTS AND ITS APPLICATION TO AGRICULTURE." *Scientific Bulletin of Namangan State University* 1.4 (2019): 74-78.
55. Qurbonov, I. "E-RECRUITMENT: SOCIAL MEDIA AND RECRUITING." *InterConf.-2021*.
56. Qurbonov, I. "Tulip varieties imported from the netherlands technology of cultivation of namangan region. galaxy international interdisciplinary research journal (giirj) issn (E): 2347-6915 Vol. 9." (2021).
57. Yusupova, M., Irisova, S., & Numonov, O. (2024). Biology of Pomegranate Pests, Control Measures and First Aid in Case of Pesticide Poisoning. In *BIO Web of Conferences* (Vol. 82, p. 01014). EDP Sciences.
58. Irisova, Sh. "Protection Of Plants Sown After Cereals In The Fergana Valley." *Science and innovation* 2.D11 (2023): 158-166.
59. Irisova, Sh. "GROWTH AND REPRODUCTION CHARACTERISTICS OF BLACK FISH (SCHIZOTHORAX INTERMEDIUS) IN A PASTORAL POOL." *Science and innovation* 3.D10 (2024): 132-136.
60. IRISOVA, Shakhnoza. "BIO-ECOLOGICAL FEATURES OF BLACKFISH (SCHIZOTHORAX INTERMEDIUS) IN CHERVOK RESERVOIR." *Journal of Experimental Studies* 1.12 (2023): 18-24.
61. Yusupova, Makhpuza, and Shakhnoza Irisova. "Agrotechnological protection of cotton from sucking pests in various ways of planting." *E3S Web of Conferences*. Vol. 390. EDP Sciences, 2023.
62. Faxriddinova, Irisova Shakhnoza. "Ekish oldidan chigitga elektrofaollashgan suv bilan ishlov berishning g'o'zaning o'sish davriga ta'siri." *Science and innovation* 2.Special Issue 11 (2023): 421-425.
63. Urmonovich, Numonov Otabek. "MANGOSTEEN NUTRITIONAL PRICE AND FUNCTIONAL PROPERTIES." *ОБРАЗОВАНИЕ НАУКА И ИННОВАЦИОННЫЕ ИДЕИ В МИРЕ* 14.5 (2023): 3-5.
64. Abduhamidovich, Nasritdinov Ahmadjon. "MANGOSTIN DARAXTI VA MEVASINI TIBBIYOTDA FOYDALANISH." *Journal of new century innovations* 28.2 (2023): 12-14.
65. Юсупова, Махпуза Нумановна. "ФАРФОНА ВОДИЙСИ ШАРОИТИДА ИГНА БАРГЛИ ДАРАХТЛАРНИ ЗАРАРКУНАНДАЛАРДАН ҲИМОЯЛАШ." *SO 'NGI ILMIY TADQIQOTLAR NAZARIYASI* 6.4 (2023): 316-320.
66. Юсупова, Махпуза Нумановна. "АНОРНИ ЗАРАРКУНАНДАЛАРДАН ҲИМОЯЛАШ." *PEDAGOG* 6.4 (2023): 562-567.
67. Юсупова, Махпуза Нумановна. "БИОЛОГИЧЕСКИЙ МЕТОД ЗАЩИТЫ РАСТЕНИЙ." *Scientific Impulse* 1.9 (2023): 1460-1464.
68. O'rmonovna, Davlatova Muhabbat. "MANGOSTIN DARAXTI VA UNING KIMYOVIY XUSUSIYATLARI." *INNOVATION IN THE MODERN EDUCATION SYSTEM* 3 (2022): 1-4.
69. Юсупова, Махпуза Нумановна. "УФТ: 635 САБЗАВОТ ЭКИНЛАРИГА БИОЛОГИК КУРАШ ҲАҚИДА МУЛОХАЗАЛАР." *Научный импульс* 355.
70. Юсупова, М. Н., and О. У. Нумонов. "ЗАЩИТА ТУТОВОГО ДЕРЕВА ОТ ВРЕДИТЕЛЕЙ." *Экономика и социум* 6-1 (121) (2024): 1500-1503.
71. Shamsitdinov, Fazliddin, and Numonov Otabek Urmonovich. "FIBERS OF THE PREPARATION BIOBARS-M IMPACT ON QUALITY INDICATORS I." *American Journal of Interdisciplinary Research and Development* 23 (2023): 173-175.
72. Юсупова, Махпуза Нумановна. "ТУТ ПАРВОНАСИ ВА УНИНГ ЗАРАРИ." *O'ZBEKISTONDA FANLARARO*

- INNOVATSIYALAR VA ILMIY TADQIQOTLAR JURNALI* 3.32 (2024): 35-38.
73. Khusanova, Onarkhon, and Muhammadali Kamoliddinov. "The ecological features of the soil seaweeds." *AIP Conference Proceedings*. Vol. 2789. No. 1. AIP Publishing, 2023.
74. Khusanova, O. G., M. I. Kamoliddinov, and D. B. Muhammadjanova. "The taxonomic structure of soil waterweed in altitudinal belt of the north fergana." *Asian Journal of Multidimensional Research (AJMR)* 8.2 (2019): 332-336.
75. Xusanova, Onarxon. "FARG 'ONA VODIYSI TEKISLIK MINTAQALARIDA TARQALGAN AL'GOSENOZLARNING EKOLOGİYASI." *Namangan davlat universiteti Ilmiy axborotnomasi* 8 (2023): 190-195.
76. Khusanova, Onarkhon, and Zulfiya Rakhimova. "ФАРФОНА ВОДИЙСИ ТУПРОҚЛАРИДА ЎЧРАЙДИГАН (CHLOROPHYTA) ЯШИЛ СУБ ЎТЛАРИ." *Formation and Development of Pedagogical Creativity: International Scientific-Practical Conference (Belgium)*. Vol. 1. 2023.
77. Khusanova, Onarkhon. "GREEN SOIL ALGAE DISTRIBUTED IN THE SOILS OF FERGANA VALLEY." *Conferentia* (2023): 63-66.
78. Khusanova, Onarkhon. "SOIL ALGAE INDICATORS." *E Conference Zone*. 2023.
79. Onarkhon, G., Khusanova Kh, and X. A. Alimjanova. "Structure and taxonomic analysis of soil algae steep areas of northern Ferghana in winter." *European science review* 7-8 (2018): 26-29.
80. Khusanova, Onarkhon Gaybullaevna. "TAXONOMIC ANALYSIS OF THE SUANOPHYTA DEPARTMENT ON THE SOILS OF THE NORTHERN FERGANA." *Scientific Bulletin of Namangan State University* 2.2 (2021): 136-140.