

Eurasian Medical
Research Periodical



Bees Poison And His Joint In Diseases Effect

Makhamadkhodjayeva.MA

TDTU Neurology. Folk medicine
senior lecturer of the department

ABSTRACT

This article joint diseases in treatment bees healing of poison (apitoxin). effect him to the joints and to the organism effect effect will be lit. Bees by calling treatment the main type of treatment methods advantages is displayed .

Keywords:

apitoxin polypeptides , mellitin , apamin , MCD- peptide , protease inhibitors , adolapine , tertiapine let's go minilin , cardiopep .

Honey bee poison apitoxin colorless dark consistency liquid being sharp smell and bitter to the end has _ In Zahar average 41% dry substances they are _ carbohydrates, hydrogen , nitrogen , sulfur , phosphorus , magnesium , potassium and others _ In the water in acids at phys p good soluble _ Apitoxin contains : polypeptides, mellitin, apamin , MCD- peptide , protease inhibitors , adolapine , tertiapine and let's go minilin , cardiopeplar enters _

Enzymes - hyaluronidase phospholyrase A, sour phosphatase , alpha- glucosidase , phosphamipase -B, amines and from pheromones consists of

Bees Zachary preparations to be despite bees by calling treatment the most comfortable and wide spread out method being Apitoxinotherapy is a treatment the effect more increase for reflexotherapy method with together apply very good results shows . That is acupuncture to the points the bees sting (Prikhodko 1968, Sherban 1976, Ludyansky 1991y) Bees niche acupuncture to the point invited axon reflex own work starts in this to the blood heparin histamine and serotonin _ separated.

The same at the time movement support apparatus system in diseases apitoxinotherapy apply expanded and developed is going Observations based on bees caregivers between movement support system diseases with it doesn't hurt it is

DOA- problems in medicine from the most actual problems is considered Joint diseases with appeal 55% of those who did does _ DOA treatment main purpose : joint function maximum save to stay and uncl degeneration eliminate is to do

Inspection conducted 2-20 affected in patients joint and acupuncture days to points bees biological test in 1-2 days when called will be held . Treatment from the 3rd day starts . Honey bee 20 minutes _ is left . In this, 10 patients pain symptoms it's on , it's morning contractions in the muscles from pain in 14 patients eliminate done _ Only allergic reaction there is the patient from this except _

Rheumatism is _ binder of tissue inflammation disease being movement support , heart blood vein and all internal of members damage shrinks with This is a disease the same in young people occurs . Women to men than 3 times more gets sick now bees by calling

treatment, bees products with treatment good the results is giving

Rheumatic diseases honey bee Zachary and honey bee products with treatment very good the result will give. Apitoxin corticosteroids from the effect even more perfect effect shows. The syndrome " does not give OTMENI".

Rheumatoid arthritis disease with sick in patients different different level depressive circumstances observed. Apitoxinotherapy - background depressive circumstances lost and decreased.

So by doing apitoxinotherapy obvious to inflammation against to the effect have being the pain reduces joints - functional situation improves, sharp laboratory indicators reduces the patient physical and spiritual situation improves. In apitoxinotherapy wrong circumstances very even little ie nonsteroid inflammation against 5 times from preparations glucocorticoids wrong from the effect and 8 times less it is

Bees poison therapeutic effects when we explain, he is human organism protection forces increases, antirheumatic from the effect except in the body causing other types of reactions will issue it is in the blood cortisone the amount increases it is Endorphins, thymus of cells and of interferon functions increases it is Many of researchers according to arthritis in treatment bees Zachary contained apamin of the peptide effect in return happened will give they say because his inflammation against feature to that of hydrocortisone 1000 times than is stronger. Molecular weight small that it was for hemotoencephalic from the fence good very takes. Bees in the poison of neptides pain leaver effect non-ecotic from analgesics on March 10-50 is stronger. Of these except apiroxine capillaries and cell failure increases. Blood dilution feature according to in the middle active is considered

Bees of poison rheumatoid arthritis - joint rheumatism in treatment effect obvious manifestation will be This is the effect the effect hypothalamus - pituitary gland kidney over diaper system activation at the expense of is

References

considered to be. That is that's it account get should be by MNS endorphins quantity increased opiate effect reached the pain reduces - (Krelov 2004). Of these except in the joint rheumatic diseases apitherapy with when treating the disease symptoms just turned on no more another healing effects surface out disease to pathogenesis effect showing him fundamentally changes. Such in patients in the joints movement again restored, morphological status will improve. Joint in his bag and damaged in tissues reparation processes happen will be

Osteoarthritis in diseases in the joint uncle texture is consumed of this as a result joint mechanic to the effects adaptation is broken. Normal joint function for joints synovial fluid between important to the point has - This is a liquid in the composition a lot amount hyaluronic acid acid being his molecular weight very high therefore for very viscous being joint high mobility provides. In osteoarthritis mother that's it hyaluronic acid of acid depolymerization observed.

Fragmented hyaluronic acid acid the liquid connect can't do that as a result in the joint uncle tissue the liquid wins and it swells. Uncle tissue fades and dries, elasticity and strength loses. Later on fibers decaying wounds harvest will be Bone tissue on the surface uncle tissue disappears or little by little to fragments divided goes.

Above telling passed processes eliminate to do for in the joint hyaluronic acid acid the amount quality to the standard put need - The same that's it the process bees in the poison let's see can - Bees by calling when we heal in the blood of corticosteroids quantity sharp will rise and hypothalamo-pituitary kidney over diaper of the system activation mechanism to work falls and in the joint functional of your condition recovery, synovial of liquid-hyaluron of acid repolymerization done increase providing will give. Summary by doing that's it we say maybe damaged joint bees by calling treatment osteoarthritis and rheumatoid arthritis diseases in treatment basis accepted as therapy to do can -

1. Apitoxinotherapy A.Ye. _ Khomutov KA
Pursanov OV Lushnikova DS
Malinovsky.
2. Pchelin y yad kak produkt
pchelovodstvo Artemov. NM
3. Vlasova. I. V Apitherapy in the treatment
of rheumatoid arthritis: Sbornik
nauchno-issledovatel'skikh rabot po
pchelovodstvu i apiterapii 2017-s 115-
121
4. Vlasova. IV Apitherapy kak alternativnyy
y method treatment of ankylosing
spondylitis : Apiterapiya segodnya.
materialy XVIII Vserossiyskoy nauchnoy
conference-2016 - C 54-59
5. Galkina. DD L y tkina. A. P. Pchelin y y
yad.yego svoystva i primeneniye: Nauchn
y e trud y studentov Izhevskoy GSXA
Elektronnoe izdanie otv. za v y puski. N. M
Iteshina , Izhevsk , 2020-S 862-820
6. Kr y lov. V Apiterapiya segodnya
Pchelovodstvo-2013 5 C 7-13
7. Kr y lov. V. N Abogesismengane B Pchelin
y yad v apiterapii Pchelovodstvo-2014
6 C 60-61
8. Mannonov. A. M. Polukhin. V.V. , Karpin.
VA Apiterapiya kak method
vosstanovitel'nogo lecheniya bolezney
sporno-dvigatel'nogo apparatus. Actual y
e problem sovremennoy nauki-2016 9 -
S. 36.