



Prevention And Prediction of Dental Morbidity in Chemical Industry Workers

Ibragimova F.I.

Bukhara State Medical Institute

ABSTRACT

The aim is to develop prevention and improve the prediction of dental diseases based on the proposed conceptual approach in chemical industry workers.

Keywords:

Industrial Air, chemical industry, workers

Relevance. The presence of high risks of occupational diseases among industrial workers has been proven. This is due to the entry of compounds of elements into the human body through the oral cavity. Industrial workers are characterized by a high prevalence of dental caries and inflammatory periodontal diseases.

Chemicals of industrial air environment are found in oral fluid, hard tissues of teeth, dental deposits, biopsies of tissue structures [2]. They aggravate the course of dental caries due to the substitution of calcium ions in hydroxyapatite crystals, chronic inflammation in periodontal tissues, violation of the integrity of the epithelium of the oral mucosa [2.6].

However, the influence of chemical factors of production on the oral cavity of workers, the consequences of these effects have not been fully studied. Given this, the need to continue dental, clinical, functional and microbiological research on this problem has not lost its relevance.

The purpose of the study The aim is to develop prevention and improve the prediction of dental diseases based on the proposed conceptual approach in chemical industry workers.

To achieve this goal, the following tasks were set

- a methodology for the survey of chemical industry workers has been developed based on the general methodology proposed by WHO experts;
- determination of the dental status of chemical industry workers;
- identification of risk factors, negative effects on the hard and soft tissues of the oral cavity in chemical industry workers;
- assessment of the state of the oral cavity and determination of the level of dental morbidity among workers in comparison with the population not in contact with industrial harmful factors of the chemical industry;
- development of a conceptually new approach to primary and secondary prevention of dental diseases in chemical industry workers;
- development of preventive measures to prevent pre-pathological and pathological conditions of the oral cavity of workers.

The object of the study. The study will examine 4,150 chemical industry workers aged 25 to 60 years who have had direct contact with chemical elements for several years. All the

surveyed will be divided into 3 groups: 1 - group - workshop workers, these are persons directly exposed to chemical elements; 2-group - locksmiths, plumbers, installers, cleaners, laboratory assistants, persons who rarely come into contact with chemical compounds; 3 - group – industrial administration, who have no contact with chemical elements.

Dental examination of workers with harmful chemical working conditions showed that the intensity of the carious process, the prevalence of periodontal diseases, pathological erasability, dentin hypersensitivity, the predominance of precancerous diseases among the diseases of the SOPR, the low level of oral hygiene is higher compared to the residents of the city. The high level of dental morbidity is due to the presence of harmful factors of chemical production, the lack of planned sanitation of the oral cavity, an effective system of prevention and medical examination at industrial enterprises [7.8].

At all three chemical production enterprises, with increasing work experience, the intensity of the carious process decreases, the number of teeth removed increases; the number of people with precancerous diseases of the SOPR and periodontal diseases increases. SOPR diseases at the early stages of diagnosis do not always have pronounced clinical symptoms, but are characterized by obvious pathological changes in the epithelium, confirmed morphologically [1.3.5.7].

A step-by-step method of primary and secondary prevention of dental diseases in chemical industry workers has been developed and recommended for dental practice. The indicators of the need for dental treatment among workers of harmful production factors are determined, and the volume of necessary complex treatment among workers of the chemical industry is calculated. The results obtained are planned to be included in the medical practice of institutions conducting experimental research, as a methodological recommendation, a patent for an invention, scientific and innovative work [4.9].

Dental morbidity of workers of chemical enterprises, identification of harmful environmental factors and chemical production,

reorganization of the dental care system, introduction of dental hygienist positions in the staffing of the dental service of medical units of chemical plants, timely dispensary observation, annual screening of the condition of the mucous membrane of the cavity for oncopathology, prevention of dental diseases and active sanitary and educational work and systematic promotion of a healthy lifestyle. Identify the main risk factors and form risk groups among the population in need of dynamic monitoring of dental health and systematic prevention and medical examination. Carrying out planned prevention of dental diseases, increasing the level of individual oral hygiene of workers, it is necessary to reorganize dental services of harmful industries and include dental hygienists in their structure [6.10].

In order to reduce the prevalence and intensity of major dental diseases and improve the hygienic condition of the oral cavity in workers of chemical enterprises, it is necessary to carry out preventive measures, including dental education, brushing teeth with multicomponent therapeutic and preventive toothpastes, promotion of a healthy lifestyle.

References.

1. Ibragimova F.I. CLINICAL-RESEARCH BASED AND MORPHOLOGICAL EVIDENCE OF FEATURES OF THE COURSE AND TREATMENT EFFECTIVENESS OF PERIODONTAL TISSUES AND ORAL MUCOSA IN ANIMALS UNDER THE IMPACT OF SODIUM HYPOCHLORITE// ACADEMICIA. An International Multidisciplinary Research Journal. - India. Kurukshetra, 2020.-№10.-C.1948-1959.
2. Ibragimova F.I. Gafforov S.A., Idiev G.E. APPROACHES TO THE DIAGNOSIS OF THE DYSFUNCTIONAL STATE OF THE TEMPOROMANDIBULAR JOINT // EUROPEAN JOURNAL OF MOLECULAR & CLINICAL MEDICINE. - Volume 07, Issue 09, 2020.
3. Ibragimova F.I. Soliev A.A. MODERN METHODS OF ORTHOPEDIC TREATMENT OF PARODONTAL DISEASES // Journal For Innovative Development in Pharmaceutical

and Technical Science (JIDPTS). - Volume 4, Issue 4, Apr. 2021.-P.38-40.

4. Ibragimova F.I. Hamroev SH.SH.CAUSAL RELATIONSHIP BETWEEN PRODUCTION RISK FACTORS AND THE DEVELOPMENT OF PARODONTAL DISEASES IN CHEMICAL PRODUCTION WORKERS // Journal For Innovative Development in Pharmaceutical and Technical Science (JIDPTS). - Volume 4, Issue 4, Apr. 2021.-P.41-42.

5. Ibragimova F.I. Arslanov K.S.Comparison of two impression methods for determining the neutral zone in edentulous patients // INTERNATIONAL JOURNAL OF HUMAN COMPUTING STUDIES (IJHCS). - Volume 3, Issue 2, March-April, 2021.-P.32-34.

6. Ibragimova F.I. Qurbonov D.F. A comparative evaluation of changes in facial parameters in partial secondary adentia // INTERNATIONAL JOURNAL OF HUMAN COMPUTING STUDIES (IJHCS). - Volume 3, Issue 2, March-April, 2021.-P.35-37.

7. Ibragimova F.I. Yodgorova Sh.R. Manifestation of Diabetes Mellitus in the mucous membrane of the Oral Cavity // INTERNATIONAL JOURNAL OF HUMAN COMPUTING STUDIES (IJHCS). - Volume 3, Issue 2, March-April, 2021.-P.38-40.

8. Ibragimova F.I. Azimova Sh.Sh., Saidov A.A. Medical and Psychological Approach in the Early Diagnosis and Treatment of Cutaneous Bite in Children // Annals of the Romanian Society for Cell Biology. - Volume 21, Issue 4, March

9. Гаффоров С.А. Клинико-биохимическое обоснование течения и лечения заболеваний тканей пародонта и слизистой оболочки полости рта у рабочих производства синтетических моющих и чистящих средств // O'ZBEKISTON tibbiyot JURNALI. Медицинский ЖУРНАЛ УЗБЕКИСТАНА. Илмий-амалий журнал. - Тошкент, 2019.-№4.-С.45-50.

10. Ibragimova F.I. Arslanov K.S.COMPARISON OF METHODS FOR DETERMINING THE NEUTRAL ZONE IN PATIENTS WITH FULL ADETHIA// Proceedings of Online International Conference on Technological Developments in Systematic Research.

«International Journal of Innovations in Engineering Research and Technology». - India, Maharashtra, Pune, 2020.-P.33-34.